

PRODUCT SPECIFICATION

276 Diameter Pails (non DG)



PAIL SPECS

Pail Details		10 Litre	15 Litre	20 Litre	21 Litre
Ullage % (approx)		10	7	3	3*
Height (mm)		205	286	357	377
Handle		Standard	Standard	Standard	Standard
Packing Qty					
Bulk	No. per Layer	12	16	16	16
	No. per Pallet	120	160	144	144
Cartons	No. per Carton	NA	NA	NA	NA
Height Tolerance		±1.5mm			
Handle		4.0mm wire with plastic grip			
Options					
Dangerous Goods Status		Not Approved for the Transportation of Dangerous Goods			
Lid		305 Polyseal or Natseal and locking ring			
Print Area		Request artwork template from Account Manager			

* 8% when used as 20 Litre



PAIL COATINGS

Outside	Plain	(POS)
	White	(WOS)
	Varnish	(VOS)
Inside	Plain	(PIS)
	Lacquer	(LIS)

Issue Date: 15 July 2015

www.ncipackaging.com

Sales & Enquiries:

AUSTRALIA
1800 289 624

metal.enquiries@ncipackaging.com
90-92 Chifley Drive, Preston, VIC 3072

NEW ZEALAND
0800 220 120

windsor.yang@ncipackaging.com
80 Mt Wellington Hwy Panmure Auckland

PRODUCT SPECIFICATION

276 Diameter Pails (DG)



PAIL SPECS

Pail Details		10 Litre	15 Litre	20 Litre	21 Litre
Ullage % (approx)		10	7	3	3*
Height (mm)		205	286	357	377
Handle		Standard	Standard	Standard	Standard
Dangerous Goods Status		Packing Group II / 1.6 max	Packing Group II / 1.6 max	Packing Group II / 1.3 max	Packing Group II / 1.3 max
Packing Qty					
Bulk	No. per Layer	12	16	16	16
	No. per Pallet	120	160	144	144
Cartons	No. per Carton	NA	NA	NA	NA
Height Tolerance		±1.5mm			
Handle		4.0mm wire with plastic grip			
Options					
Lid		305 Polyseal and locking ring			
Print Area		Request artwork template from Account Manager			

* 8% when used as 20 Litre



PAIL COATINGS

Outside	Plain	(POS)
	White	(WOS)
	Varnish	(VOS)
Inside	Plain	(PIS)
	Lacquer	(LIS)

Issue Date: 15 July 2015

www.ncipackaging.com

Sales & Enquiries:

AUSTRALIA
1800 289 624

metal.enquiries@ncipackaging.com
90-92 Chifley Drive, Preston, VIC 3072

NEW ZEALAND
0800 220 120

windsor.yang@ncipackaging.com
80 Mt Wellington Hwy Panmure Auckland

PRODUCT SPECIFICATION

305 Lids for 276 Diameter Pails



LID SPECS

		305 Natseal	305 Polyseal (DG)
	Diameter (mm)	302.6	302.6
	Height (mm)	13.0	13.0
	Locking Ring	305	305
Packing Qty			
Carton Unassembled			
No. per Carton		40	40
No. of Cartons		16	16
No. per Pallet		640	640
Carton Assembled			
No. per Carton		20	20
No. of Cartons		48	48
No. per Pallet		960	960
Height Tolerance		±1.5mm	
Options		56mm screw nozzle, 63mm UniGrip, 57mm REL or 57mm DIN	
Pails		To suit all 276 diameter pails	
Print Area		Request artwork template from Account Manager	

LID COATINGS

Outside	Plain	(POS)
	White	(WOS)
	Varnish	(VOS)
Inside	Plain	(PIS)
	Lacquer	(LIS)

Issue Date: 15 July 2015

www.ncipackaging.com

Sales & Enquiries:

AUSTRALIA
1800 289 624

metal.enquiries@ncipackaging.com
90-92 Chifley Drive, Preston, VIC 3072

NEW ZEALAND
0800 220 120

windsor.yang@ncipackaging.com
80 Mt Wellington Hwy Panmure Auckland

NCI Packaging

PRODUCT SPECIFICATION

Appendix

COATINGS AND USES

Tinplate is steel sheet electroplated with tin to provide enhanced appearance and protection against rust. Coatings can be added to tinplate to enhance appearance and performance. Coatings and their typical uses* are listed below.

Outside	Plain	(POS) Use in dry environments where the risk of oxidation is low
	White	(WOS) Additional protection against oxidation of the container due to moisture Also used on most printed cans as the white base coating under colour print
	Varnish	(VOS) Clear finish for extra protection against oxidation of the container due to moisture
Inside	Plain	(PIS) Typical uses: Solvent based products Oil paints Edible oils Not suitable for: Water based products Olive oil
	Lacquer	(LIS) Typical uses: Water based products Water based paints Olive oil

** Uses above are suggestions only, customers are responsible for testing to ensure compatibility of containers with their packed product.*

www.ncipackaging.com

Sales & Enquiries:

AUSTRALIA
1800 289 624

metal.enquiries@ncipackaging.com
90-92 Chifley Drive, Preston, VIC 3072

NEW ZEALAND
0800 220 120

windsor.yang@ncipackaging.com
80 Mt Wellington Hwy Panmure Auckland